



PROGEF Standard pipe SDR17,6/PN6/S8,3

Model:

- Material: PP-H - homopolymer
- Dimension: acc. to DIN 8077/78 and DIN EN 15494
- Colour: light grey RAL 7032
- Pipe length: 5000mm, with plain ends
- **Note 1:** acc. to EN 15494
- **Note 2:** DIBT Z-40.23-4 approval
- Attention: Pressure rates refer to operating temperatures at 20°C. Higher temperatures and aggressive flow media reduce pressure load (see above DIN and our technical documentation). Pressure load capacity has to be determined in consideration with safety demands of the respective applications and calculated in accordance.

Note	d (mm)	SDR	PN (bar)	Code	Weight (kg/m)	e (mm)
1, 2	25	17.6	6	167 480 676	0.132	1.8
1, 2	32	17.6	6	167 480 678	0.172	1.9
2	40	17.6	6	167 480 679	0.273	2.3
2	50	17.6	6	167 480 680	0.422	2.9
2	63	17.6	6	167 480 681	0.659	3.6
2	75	17.6	6	167 480 682	0.935	4.3
2	90	17.6	6	167 480 683	1.330	5.1
2	110	17.6	6	167 480 684	1.990	6.3
2	125	17.6	6	167 480 685	2.550	7.1
2	140	17.6	6	167 480 686	3.200	8.0
2	160	17.6	6	167 480 687	4.170	9.1
	180	17.6	6	167 480 688	5.250	10.2
	200	17.6	6	167 480 689	6.500	11.4
	225	17.6	6	167 480 690	8.190	12.8
	250	17.6	6	167 480 691	10.100	14.2
	280	17.6	6	167 480 692	12.600	15.9
	315	17.6	6	167 480 693	16.000	17.9
	355	17.6	6	167 480 694	20.300	20.1
	400	17.6	6	167 480 695	25.700	22.7
	450	17.6	6	167 480 696	32.500	25.5
	500	17.6	6	167 480 697	40.200	28.4

The technical data are not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland

Phone +41 -(0)52-631 1111

e-mail: info.ps@georgfischer.com

Internet: <http://www.gfps.com>